

## Stichwortverzeichnis

- Symbols**  
 λ-Verbindung ..... 574  
 (G)MPLS-Netze ..... 554  
 (G)MPLS-Switches ..... 31  
 Überlastkontrolle ..... 16, 21  
 Übertragungssicherung ... 601  
 öffentliche Cloud ..... 677  
 4B/5B ..... 46  
 6to4 ..... 380  
   Address ..... 380  
   Adressen ..... 436  
   Host ..... 436  
   Site ..... 436  
   Translation ..... 424
- A**  
 A-Query ..... 184  
 a.root-servers.net ..... 181  
 AAA  
   Protokoll ..... 719  
   Server ..... 695, 704, 719  
 Abstract Syntax Notation ... 24  
 Abstract-Node ..... 590  
 Access Control ..... 602  
   List ..... 653, 655, 711  
 Access Point ... 614, 615, 618,  
   650, 705, 718, 752  
 Access Router ..... 752  
 Access Switches ..... 650  
 Accounting ..... 704  
   Daten ..... 705  
 ACK . . 134, 137, 141, 146, 163  
   PDU ..... 133  
 Acknowledgement ... 131, 327,  
   511, 601, 611, 613  
   Number ..... 132, 138  
   Selective ..... 133, 148, 171  
 Active Router ..... 532  
 Active-Close ..... 138  
 Ad-Hoc-Mode ..... 617  
 adaptives Routing ..... 478  
 Adaptivitätsattribute ..... 582  
 Additional Section ..... 200  
 Address Family Identifier . 523,  
   524  
 Address Family Transition Router ..... 430  
 Address Harvesting ..... 714  
 Address Mask  
   Request ..... 111, 113  
   Response ..... 111, 113  
 Address Realm ..... 252  
 Address Resolution  
   Protocol 37, 63, 87, 101, 353,  
     394, 422, 469, 684  
   Adjacency ..... 497  
   Adresspräfix ..... 368  
   Advertisement Interval ... 530  
   Affinität ..... 583  
   Agent Discovery ..... 728  
   Aggregatable Global Unicast Ad-  
     dresses ..... 375  
   Aggregation Layer ... 649, 650,  
     661  
   Aggregation Switches ..... 650  
   Aging Time ..... 654, 656  
   AGU-Adressen ..... 375  
   Aktives Queue Management 157  
   Alert Protocol ..... 288  
   Aliasname ..... 190  
   All Station Address ..... 607  
   All-Host  
     Group ..... 115, 116  
   All-Nodes ..... 380  
   Multicast Address ..... 404  
   All-Ones subnet ..... 93  
   All-Router  
     Group ..... 115  
     Multicast ..... 404  
   All-Zeros subnet ..... 92  
   All\_DHCP\_Servers ..... 414  
   ALT-Infrastruktur ..... 690  
   American National Standards In-  
     stitute ..... 600  
   Amplification Attacks 205, 215  
   Anchor ..... 215  
   Anonymous DH ..... 295  
   Answer ..... 329  
     Section ..... 199, 243  
   Anti-Replay-Schutz ..... 267  
   Anwendungsschicht ... 36, 45  
   Anycast  
     Adresse ..... 366, 439  
     Routing ..... 181  
   Anycasting ..... 182  
   Anything-in-Anything 427, 435,  
     464  
   Apex ..... 194, 209, 212  
   AppleTalk ..... 233  
   Application  
     Layer ..... 24  
     Layer Gateway ..... 264, 460  
     Program Interface ..... 152  
     Support Protokolle 27, 39, 281  
   Applications Area ..... 60  
   Applikationstyp ..... 144  
   Area Border Router .. 502, 503,  
     505  
   Area Director ..... 60  
   ARP  
     Cache ..... 102, 107  
     Reply ..... 102, 103, 107  
     Request ..... 102–104, 656  
     Server ..... 87  
     Tabelle ..... 106  
   arpa ..... 179, 191  
   AS Border Router .... 515, 516  
   AS Boundary Router . 502, 504  
   AS-external-LSA ..... 513  
   ASBR ..... 513  
   ASCII Compatible Encoding  
     193  
   Association ..... 613, 617, 619  
     ID ..... 616  
     Request ..... 616  
     Response ..... 616  
   Asynchronous Transfer Mode  
     567  
   ATM-Label ..... 569  
   Attribut ..... 288, 712  
   Ausgangsport ..... 497, 574  
   Authentic Data ..... 213  
   Authenticate ..... 611  
   Authentication .. 284, 509, 577,  
     609, 617, 695  
     Data ..... 274, 275, 530, 533  
     Header ... 121, 268, 352, 357,  
       358, 642  
     Indicator ..... 450  
     Protocol  
       Extensible ..... 695, 696  
       Server ..... 696  
       Type ..... 492, 530  
   Authenticator ... 612, 696, 702  
   Authentisiert ..... 616  
   Authentisierung .. 53, 259, 358,  
     614, 621, 704, 706  
     äußere ..... 696, 700  
     Einkomponenten ..... 695  
     innere ..... 696, 701  
     Mechanismus ..... 698  
     Mehrkomponenten ..... 695  
     Proliferation ..... 716  
   Authentisierung, Autorisierung,  
     Accounting ..... 703  
   Authentizität . 44, 45, 289, 700  
   Authority  
     Information Access ..... 298  
     Section ..... 199, 200, 243

- Autoconf ..... 242
- Autoconfiguration ... 234, 352, 388
  - stateless ..... 233
- Automatic
  - IPv6 Connectivity Client Utility ..... 434
  - Private IP Addressing ... 242
- Autonomes System ..... 502
- Autorisierung ..... 406, 704
- Autotuning ..... 150
- B**
- B-Header ..... 673
- B4-Interface ..... 430
- Backbone ..... 502
  - Anbindung ..... 504
  - Bereich ..... 502
  - Bridges
    - Provider ..... 669
  - Core Bridge ..... 672
  - Edge Bridge ..... 672
  - Netz ..... 5
  - Router ..... 89, 502, 504
  - Service Instance Identifier 674
  - Service Instance Tag .... 674
  - VLAN ..... 632
  - VLAN Identifier ..... 671
- Backend-Datenbank ..... 705
- Backlog-Puffer ..... 154
- Backup
  - Designated Router ..... 509
  - DR ..... 500, 509
- Backup-DR ..... 509
- Bandbreiten/Delay-Produkt 156
- Bandwidth Broker ..... 558
- Basic Service Set ..... 615
  - Identifier ..... 618
- Baumwurzel ..... 538
- Beacon Frame ..... 615–617
- Benutzer
  - Authentisierung ..... 347, 695, 713, 715
  - dienstprotokolle ..... 40, 42
  - ID ..... 701
  - Identifikation ..... 44, 716
  - Profile ..... 704
- Bereichs-ID ..... 501
- Berkeley Internet Name Daemon ..... 181, 205
- Berkeley Software Distribution 5
- BGP
  - Header ..... 517
  - Identifier ..... 518
  - MPLS IPv4-VPN ..... 525
  - MPLS IPv6-VPN ..... 526
- Multiprotocol ..... 523
- Nachrichten ..... 517
- Speaker ..... 515
- Bind ..... 710, 713
- Binding ..... 259
  - Acknowledge ..... 743
  - Acknowledgement ..... 748
  - Cache ..... 742, 744
  - Information Base ... 462, 463
  - Request ..... 259
  - Response ..... 259
  - Update ..... 743
  - Update ..... 748, 754, 755
- Bit
  - Destuffing ..... 607
  - Error Rate ..... 46
  - Stuffing ..... 607
- Bitübertragung ..... 613
- Bitfehler ..... 45, 46
- Bitlabel ..... 191
- Block-Chiffren ..... 52
- Blockverschlüsselung ..... 51
- Blockverschlüsselungsverfahren 51
- Bonjour Protokoll .... 233, 242
- BOOT Protocol ..... 244
- Border
  - Bit ..... 547
  - Gateway Multicast Protocol 535
  - Gateway Protocol 38, 41, 423, 480, 494, 515
- Bridge Port Extension .... 661
- Bridging-Mode ..... 605
- Broadcast
  - limited ..... 730
- Bucket-Größe ..... 587
- Byte-stream ..... 131
- C**
- C-LSR ..... 559
- C-TSN Ack ..... 171, 172
- Call
  - Forwarding ..... 320
  - Hold ..... 320
  - Transfer ..... 320
- Call Session Control Function 347
- Canonical
  - Name ..... 315
  - Order ..... 209
- Canonicalization ..... 220
- Capability Information ... 616
- Care-of-Address .723, 727, 741
- Carrier Sense Multiple Access/Collision Avoidance 601
- Carrier Sense Multiple Access/Collision Detection 601
- Carrier-Grade NAT .. 280, 424, 431, 442, 464
- Cascading Style Sheets ..... 8
- CE-Paket ..... 160
- Certificate ..... 291
  - Authority .286, 290, 291, 406
  - Hierarchy ..... 695
  - Chain ..... 297
  - Client
    - Authority ..... 293
    - Verify ..... 293
  - Exchange ..... 293
  - Path Advertisement 392, 407, 408
  - Path Solicitation ... 392, 408
  - Request ..... 291
  - Revocation List ..... 290
  - Usage ..... 228
  - Verify ..... 293
- Certificate Authority ..... 695
- Chain of Trust .. 208, 215, 289
- Challenge ..... 612, 701
  - Authenticator ..... 702
  - Peer ..... 702
- Challenge Handshake Authentication Protocol ... 605, 608, 611
- Challenge/Response-Verfahren 436
- Change-Cipher-Spec ..... 700
  - Protocol ..... 287, 288
- Chaosnet ..... 189
- Checking Disabled ..... 213
- Checksum ... 46–49, 110, 118, 168, 461
  - UDP ..... 127
- Chiffren ..... 50
- Chunk ..... 166
  - Bundling ..... 167
  - DATA ..... 167, 169–173
  - ID ..... 168
  - Type ..... 168
- Cipher
  - Suite ..... 287, 293, 296
- Cipher Block
  - Chaining ..... 45, 47, 52
  - Feedback ..... 52
- Circuit Emulation over MPLS 630
- Class ..... 72, 75, 188, 189
- Class of Service .570, 580, 583
- Classless Inter-Domain Routing 515
- classless IP ..... 89
- Client
  - Access Layer ..... 649, 650

- Authentisierung ..... 713
- Autorisierung ..... 347
- Client-Client-Kommunikation  
648
- Client-Server-Anwendung ..... 648
- Clock ..... 307
- Cloud Computing 647, 689, 716
- CN-Binding ..... 743
- Code ..... 110
- CodeBook ..... 50
- Collaboration Services ..... 320
- Collision Count ..... 406
- colocated CoA .. 728, 733, 736
- Common
  - Gateway Interface ..... 8
  - Header ..... 167, 588
  - Internet File System ..... 151
  - Name ..... 711
  - Open Policy Service ..... 558
- Compound Packet ..... 315
- Compound Session Key ... 701
- Compressed RTP ..... 308
- Cone NAT ..... 256, 449
- Confidentiality ..... 43
- Configuration Options 608–610
- Configure-Request ..... 610
- Congestion ..... 149, 156
  - Avoidance ..... 147, 148
  - Control ..... 16, 68, 174
  - Experienced ..... 157, 159
  - Window ..... 147
  - Window Reduced ... 132, 161
- Conseil Européen pour la Recherche Nucléaire ..... 6
- Constrained Shortest Path First  
559, 581, 583
- Constraint-Routing .. 556, 559, 581
- LDP ..... 559, 586, 593
- Contact Port ..... 136
- Container ..... 623
- Content Delivery Networks 155
- Content-Nameserver ..... 230
- Contributing Source Identifiers  
308
- Control ..... 604
  - Channel Management ... 577
  - Feld ..... 602, 607
  - Flags ..... 132, 161
  - Frames ..... 616
  - Plane ..... 557, 576, 655
  - Points ..... 237
  - Protocol ..... 608
  - Protocol IPCP ..... 611
  - Register ..... 616
  - Word ..... 624
- Cookie ..... 169, 300
  - Ack ..... 169
  - Echo ..... 169
- Core Based Trees ..... 535
- Core-LSR ..... 559
- Correspondent
  - Node ..... 741, 752
  - Node Binding ..... 743, 749
  - Node Deregistration ..... 745
- COSINE-Schema ..... 712
- Count-to-Infinity-Problem .484
- Counter Mode Cipher Block  
Chaining Message Authentication Code Protocol .. 619
- Country Code ..... 711
- Country Codes ..... 711
- CRC ..... 155
- Credentials 695, 697, 701, 713
- Cross-Connect-Systeme .. 576
- Cryptobox ..... 216
- Cryptographically Generated  
Addresses ..... 406
- CSMA/CA ..... 613
- Current Hop Limit ..... 399
- Currently Unused ..... 68
- Curve25519 ..... 57, 58, 216
- Customer
  - Edge ..... 525
  - Premises Equipment 424, 430, 442
  - Premises Network ..... 649
- Cyberspace ..... 6
  - Checksum ..... 46
  - Code ..... 45
- D**
- dACKs ..... 147–149
- Dark Fiber ..... 43
- Data ..... 74
- Data in flight ..... 140
- Data Plane ..... 655
- Data-Link
  - Connection Identifier 563, 569
  - Frame ..... 28, 29, 44
  - Layer ..... 24, 613
  - Verbindung ..... 607
- Datacenter ..... 649
- Datagram
  - Congestion Control Protocol  
174, 303, 319
  - Prinzip ..... 554
  - TLS ..... 299
- Daten ..... 23
  - Frames ..... 616
  - Leakage ..... 238
- Datenbank-Backend ..... 713
- Datendirektverbindungen . 599
- Datenflusskontrolle ..... 138
- Datensegmente ..... 29, 130
- Datensicherungsschicht .... 44
- Datenstromverschlüsselung .51
- Decapsulation .. 430, 623, 624
- Default
  - Free Zone ..... 688
  - Gateway .. 86, 113, 114, 245, 400, 405, 527, 657, 661, 740
  - Route ..... 475, 477, 688
  - Router ..... 393, 399, 527
- Defense Communication Agency ..... 5
- Delay ..... 21
- Delegated Präfix ..... 442
- Delegating Router ..... 416
- Delegation ..... 179, 187, 195
  - Signer ..... 190, 210, 211
- DeMilitarized Zone .. 229, 644
- Denial of Service ..... 169
- Denial of Service-Attacke .153
- Deployment ..... 406
- Deregistrierung ..... 733, 737
- Designierter Router ..... 500
- Destination ..... 25
  - Address ... 67, 355, 456, 618
  - Cache ..... 395
  - EID ..... 690
  - IP Address .... 126, 270, 458
  - IPv6-Address ..... 402
  - Options Header 357, 359–361, 743, 745, 747, 748
  - Port ..... 126, 131
  - Port Number ..... 168
  - RLOC ..... 690
  - SAP ..... 603
  - Unreachable .. 110, 111, 114, 117, 360, 390, 459
- Detour LSP ..... 591
- DH-Domain-Parameter .... 54
- DHCP
  - ACK ..... 248
  - Client ..... 244
  - DECLINE ..... 248
  - DISCOVER ..... 247
  - INFORM ..... 248
  - NAK ..... 248
  - OFFER ..... 247
  - Offer ..... 246
  - Relay-Agent ..... 245
  - RELEASE ..... 248
  - REQUEST ..... 248
  - Server ..... 244
- DHCPv6 ..... 385
  - Client ..... 409
  - Nachricht ..... 411
  - Port ..... 409
  - Relay ..... 410
  - Server ..... 409
  - Unique Identifier ..... 410

- Dial-In-Zugang ..... 704
- Diameter ..... 42
- Differentiated Services . 66–68, 120
  - Code Point ..... 68, 160
- Diffie-Hellman ..... 54
- Diffie-Hellman ..... 53, 295
  - Gruppenparameter . . . 56, 58
  - Verfahren ..... 55
- DiffServ ..... 68
- Diffusion ..... 51
- Digest ..... 386
- Digital Subscriber Line . . . 144
- Digitalisierung ..... 53
- Dijkstra ..... 468
  - Algorithmus ..... 496
- Directory
  - Access Protocol ..... 710
  - Information Base ..... 712
  - Information Tree ..... 710
  - User Agent ..... 713
- Discover-Process ..... 696
- Discovery ..... 237, 413
- Distance Vector
  - Multicast Routing Protocol 535
  - Routing ..... 477
- Distanzvektor ..... 480
  - Routing-Protokoll . . . . . 480
- Distinguished Name . 288, 289, 711, 714
- Distribution
  - Layer ..... 649, 650
  - Switch ..... 650
  - System ..... 615, 617
  - System Services ..... 620
- DNS
  - based Service Directory . 235
  - based Service Discovery . 233
  - Cache Poisoning ..... 204
  - Cache-Server ..... 181, 182
  - Datenbaum ..... 178
  - Dumping ..... 238
  - Extended ..... 198
  - Forwarder ..... 182, 241
  - Registrar ..... 180, 231
  - DNS64 ..... 425, 428, 460
  - DNSCurve ..... 204, 238
    - Qname ..... 218
  - DNSKEY ..... 208
  - DNSSEC ..... 238
    - aware ..... 212
  - DNSSECBis ..... 203
  - Domain ..... 178, 179
    - Component ..... 711
    - Grabbing ..... 231
    - Label ..... 178
    - Name ..... 178, 190
    - Suffix ..... 178, 245
  - Domain Name
    - Service ..... 42
    - System . . . 126, 175, 176, 181, 238, 353, 423, 683, 689
  - Domain-Parameter ..... 57
  - DomainKeys Identified Mail 221
  - Don't Fragment . . . 66, 69, 114, 457, 458
  - Doppelpunkt-Hexadezimalnotation 366, 385
  - DoS-Attacke ..... 153
  - Dot-net ..... 287
  - Downstream ..... 595
    - Knoten ..... 591
    - Router ..... 589
    - System ..... 595
  - DTLS-Record ..... 301
  - Dual-Queue/Dual Bus . . . 601
  - Dual-Stack ..... 387, 422
    - Betrieb ..... 423
    - Gateway ..... 424
    - Host ..... 428
    - Lite ..... 424, 428
    - Router ..... 428
    - Transition Mechanism . . 428
  - Duplicate Address Detection 382, 385, 386, 394, 403, 405, 750
  - Dynamic Host Configuration Protocol . 41, 113, 126, 239, 244, 353, 423
    - for IPv6 ..... 389
  - DynDNS ..... 265
  - E**
  - e164.arpa ..... 179
  - EAP
    - Body ..... 698
    - Nachricht ..... 709
    - over LAN ..... 698
    - over WiFi ..... 698
    - Packet ..... 698
    - PEAP ..... 700
    - Request-ID ..... 701
    - Request-PEAP ..... 700
    - Response-PEAP ..... 700
    - Response-Success ..... 701
    - TLS ..... 699
    - Tunnel TLS ..... 699
  - Eavesdropper ..... 43
  - Echo
    - Funktion ..... 112, 391
    - Reply . . . 109, 111, 112, 391
    - Request . . 109, 111, 112, 391
  - Echtheitsnachweis ..... 49
  - ECN
  - Echo ..... 132, 161
  - Feld ..... 160
  - Setup ..... 161
  - Setup-ACK-Paket ..... 162
  - Setup-SYN-ACK-Paket . . 162
  - Setup-SYN-Paket ..... 162
  - Edge Virtual Bridging . . . 663
  - Edge-LSR ..... 559
  - EDNS ..... 198
  - Egress ..... 570
    - RBridge ..... 667
    - Router ..... 690
    - Tunnel Router ..... 690
  - Egress Router ..... 690
  - Eifel-Algorithmus ..... 149
  - Eingangsport ..... 574
  - Eintrag ..... 711
  - El Gamal ..... 54
  - Elliptic Curve Cryptography 214
  - Elliptische Kurven ..... 55
  - Embedded-System ..... 662
  - Emulation ..... 624
  - Encapsulation . . 423, 430, 623, 624
    - Security Header ..... 121
    - Security Payload . . . 268, 352, 358, 748
  - Encrypted Handshake Message 700
  - Encryption ..... 295
    - Algorithmus ..... 270
  - End-to-End-VPN ..... 625
  - Ending Delimiter ..... 602
  - Endpoint Identifier . . . 687, 688
  - Enigma ..... 50
  - Entry ..... 711
  - Entschlüsselung ..... 53
  - Epoche ..... 299, 300
  - Error Correction Codes . . . 48
  - Erweiterungs-Header 355, 356
  - ESS Identifier ..... 615
  - Establish ..... 610–612
  - Ethernet ..... 614
    - Cloud ..... 666
  - Ethernet over PW ..... 630
  - Ethernet V2 ..... 603
  - EtherType ..... 36, 603
  - EUI-64-Adressen ..... 370
  - European Academic Research Network ..... 6
  - Exchange Protocol . . . 500, 510
  - Experimental-ID ..... 133
  - Explicit Congestion Notification 68, 149, 156, 174
  - Extended
    - DNS ..... 201
    - Key Usage ..... 290

- Master Session Key ..... 701
- Sequence Number ..... 270
- Service Set ..... 615
- Unique Identifier ..... 370
- eXtended Reports ..... 317
- Extended Unique Identifier 681
- Extensible
  - Authentication Protocol . 609, 613, 619, 622
- eXtensible Markup Language 24
- Extension
  - Field ..... 406
  - Header ... 121, 268, 352, 355
- externe Route ..... 504
- F**
- Füllzeichen ..... 67
- Fast
  - DETOUR ..... 591
  - Handover ..... 758
  - Handover for Mobile IPv6 758
  - Re-Routing ..... 556
  - Recovery ..... 148
  - Retransmit ..... 148
  - ROUTE ..... 591
- Fast Open
  - Cookie Request Option . 151
- Fast Re-Routing ..... 556
- Fast Retransmit ..... 148
- Fault
  - Control ..... 16
  - Management ..... 578
- Fehlerkontrolle ..... 16
- Fenstermechanismus . 20, 134
- Fensterprinzip ..... 138
- Fiber Bundle ..... 573
- Fiber Data Distributed Interface 600
- Fibre Channel over IP ..... 65
- FIFO
  - Prinzip ..... 157
  - Queue ..... 157
- File Transfer Protocol ..... 40
- FIN ..... 134, 137
- Fingerprint ..... 209, 210
- Firewall ..... 73, 153, 229
- First-In/First-Out ..... 157
- Fixed-Length Portion ..... 735
- Flight ..... 301
- Flooding ..... 478
- Protocol ..... 500
- Flow Control ..... 16, 138
- Flusskontrolle ..... 16, 20
- Foreign Agent ..... 722, 728
- Forward
  - Error Correction ..... 45–47
- Forwarder ..... 157, 182, 233
- Forwarding
  - Entry ..... 655
  - Equivalence Class .. 562, 565, 566, 579
  - Tables ..... 670
- FQDN ..... 178
- FR-Label ..... 569
- Fragment
  - Identification ..... 365
  - Offset ..... 66, 70, 71, 365
- Fragment-Pakete ..... 364
- Fragmentation needed .... 114
- Fragmentierung ..... 364
- Frame
  - Check Sequence ..... 46, 602
  - Control ..... 602, 617
  - Klasse ..... 616
  - klassen ..... 616
  - Status ..... 602
- Framed
  - Compression ..... 709
  - IP-Adresse ..... 709
  - IP-Netmask ..... 709
  - MTU ..... 709
  - Protocol ..... 709
- Frameklasse ..... 616
- Framework ..... 678
- Fremd
  - Agent ..... 722
  - Hotspot ..... 719
  - subnetz ..... 721
- Full
  - Qualified Domain Name . 176
  - Resolver ..... 181, 187, 211
- Full Cone NAT ..... 256
- Full Qualified Domain Name 178
- Full-Duplex-Verbindung .. 130
- Funktionale Gruppe ..... 384
- G**
- G.ason ..... 596
- Gültigkeitsdauer ..... 290
- Galois Counter Mode . 52, 295
- Gateway ..... 468, 474
- Generalized MPLS ... 31, 553, 555, 571
- Generator Polynom ..... 46
- Generic
  - Framing Procedure ..... 572
  - Label ..... 569
  - Patch Selection and Maintenance ..... 582
  - Routing Encapsulation .. 424, 425, 427, 537
- Geographische Domains .. 179
- Gigabit Networking ..... 554
- Global Routing
  - Prefix ..... 375, 679
  - Tabelle ..... 688
- Global Unicast Addresses 373–375
- Global-ID ..... 378
- Glue ..... 185, 195, 196, 211
- Glueless Delegation ..... 186
- GMPLS TE ..... 579
- Grafting ..... 539
- Graphenform ..... 468
- Gratuitous ARP . 243, 737, 738
- Group Address ..... 118, 119
- Group Transient Key ..... 701
- Group-and-Source-Specific-Query ..... 119
- H**
- HAA Discovery ..... 745
- halb-duplex ..... 613
- Handover ..... 174
- Handshake ..... 300
- Extensions ..... 293
- Protokoll ..... 288, 291, 294
- Happy Eyeball ..... 387
- Hardware
  - Address Length ..... 104
  - Typ ..... 103
- Hash ..... 378
- funktion ..... 45, 48
- keyed ..... 49
- summe ..... 48
- wert ..... 45, 48
- keyed ..... 45
- Hash based
  - Message Authentication Code 49, 267
- Header ..... 25, 64
- Extension ..... 308
- Length ..... 359
- Heartbeat
  - Extension ..... 300
  - Funktion ..... 436
  - Nachrichten ..... 300
  - Payload ..... 301
  - Protokoll ..... 288, 300
  - Request ..... 300
  - Response ..... 300
- Heimat-Hotspot ..... 719
- Heimatadresse ..... 727
- Hello
  - Intervall ..... 509
  - Nachricht ..... 533
  - Nachrichten ..... 300
  - Paket ..... 478, 499, 509
  - Pakete ..... 497
  - Protocol ..... 499
  - Protool ..... 500
  - VerifyRequest ..... 299, 300

- Hesiod ..... 189
- Hierarchical Mobile IPv6 . 717, 718, 751
- High-Level Data-Link Control 606
- HINFO ..... 190
- Hint
  - Datei ..... 181, 185, 212
  - Group ..... 707
- Holding-Priorität .... 556, 581
- Home Address ..... 722, 727
  - Option ..... 745, 747, 748
- Home Agent ..... 722
  - Address ..... 742, 745
  - Address Discovery Request 750
  - Binding ..... 742, 748
  - Discovery Reply ..... 392
  - Discovery Request ..... 392
- Home Subscriber Server . 347
- Hop .... 67, 475, 477, 581, 670
  - Anzahl ..... 484
  - Limit 355, 391, 394, 399, 412, 456, 480
- Hop-by-Hop Options Header 357, 359–362, 365
- Host
  - ID ... 75–84, 89–93, 98, 243, 381, 395, 472
  - IPv6-Adresse ..... 369
  - Mobility ..... 679
  - Multihoming ..... 679, 680
  - Route ..... 181, 474, 475
- Hostname ..... 178
- Hot Standby Routing Protocol 526, 532
- Hotspot ..... 416, 615, 718
  - Roaming ..... 718
- HTTP
  - over TLS ..... 40
  - Request ..... 154, 155
- Hunt-Group ..... 706
- Hybrid Unicast ..... 235
- Hypertext Markup Language 6, 8
- Hypertext Transport Protocol 6, 8, 40
- I**
- IA for Non-temporary Address 410
- IA for Temporary Address 410
- iCache-Server ..... 212
- ICMP
  - Data ..... 109, 110
  - Source Quench ..... 109
- ICMPv6
  - Header ..... 390
  - Nachricht ..... 390
- ID Separation Protocol ... 647
- Identification ... 199, 218, 502, 612
- Identifier-Locator Network Protocol ..... 647, 678, 757
- Identifikation ..... 81
- Identität ..... 297, 695
- IDN Domain-Labels ..... 193
- IEEE802-Adresse ..... 370
- in-addr.arpa 176, 179, 186, 187, 190
- Inbound Streams ..... 167
- Indikatoren ..... 450
- interface
  - ID ..... 679
  - Information ..... 603, 604
  - Reply ..... 111
  - Request ..... 111
- Ingress ..... 570
  - BRridge ..... 667
  - Router ..... 690
  - Tunnel Router ..... 690
- Ingress Router ..... 690
- INIT ACK ..... 169
- Init Bit ..... 510
- Initial Sequence Number .. 131, 136
- Initialisierungsvektor 45, 47, 51, 52, 59, 621
- Initiator .... 612, 686, 696, 702
- Inner Label ..... 624
- Innere Authentisierung ... 696, 698
- Instant Messaging ..... 320
- Institute of Electrical and Electronics Engineers ..... 600
- Integrity ..... 43, 44
  - Check Algorithmus ..... 270
  - Check Value ... 274, 275, 277
- Integrity Check Value ... 275
- Inter Access Point Protocol 615, 719
- Inter-Area-Routing ..... 502
- Inter-Asterisk eXchange ... 42
- Inter-Domain
  - MC-Routing ..... 535, 536
  - Protocol ..... 480
  - Routing ..... 489
  - Classless .... 77, 89, 90, 375
  - IPv6 ..... 525
- Inter-Domain-MC-Routing 535
- Interactive Connectivity Establishment ..... 264
- Interface ..... 475
  - ID ..... 352, 403, 680
  - Index ..... 372
- Interface-ID .... 366, 371, 374
- Interior Gateway Protocol . 480, 494
- Intermedia-Synchronisation 307
- Intermediate System to Intermediate System . 559, 585, 666, 669
- Internal Router ..... 502
- International Organization for Standardization ..... 22
- Internationalized Domain Name 193
- Internationalizing Domain Name in Applications .... 193
- Internet ..... 3
  - Activity Board ..... 5
  - Architect ..... 60
  - Architecture Board .... 5, 60
  - Area ..... 60
  - Assigned Numbers Authority 31, 61, 369
  - Backbone ..... 9
  - Cache Protocol ..... 41
  - Class ..... 234
  - Configuration Control Board 5
  - Control Message Protocol 32, 37, 63, 109, 353, 390, 687
  - Control Plane ..... 690
  - Core ..... 9
  - Corporation for Assigned Names and Numbers ..... 5
  - Draft ..... 61
  - Engineering and Planning Group ..... 5
  - Engineering Steering Group 5, 61
  - Engineering Task Force 5, 60
  - Group Management Protocol 37, 63, 115, 117, 382, 422, 535, 542
  - Header Length ..... 66
  - Key Exchange . 266, 267, 269, 271
  - Message Processor ..... 4
  - Network Information Center 179
  - Protocol ..... 3, 37
  - Research Task Force ..... 60
  - Service Provider . 9, 264, 430, 434
  - Standards ..... 60
  - Task Force ..... 5
- internet Low Bitrate Codec 310
- Internet of Things ... 328, 600
- Internetprotokoll
  - Version 4 ..... 63
  - Version 6 ..... 63

- Internetwork Packet eXchange 480
- Intra-Area-Routing ..... 502
- Intra-Domain-MC-Routing 535, 536
- Intra-Domain-Protokolle .. 480
- Intra-Site Automatic Tunnel Addressing Protocol . 379, 380, 442
- Intranet ..... 622
- IP
  - Übermittlungsdienst .... 124
  - Address ..... 610
  - Adresse ..... 241, 471
    - privat ..... 79
  - Adressklassen ..... 75
  - Checksum ..... 46
  - Compression Protocol ... 610
  - Header
    - Checksum ..... 67
    - ID ..... 66
    - Kommunikation ..... 425
    - Multicasting ..... 115
    - Multiplexer ..... 36
    - Network ..... 512
    - Next Generation ..... 514
    - Optionen ..... 72
    - Paket ..... 28
    - Paketlänge ..... 66
    - Pseudo-Header ..... 126, 127
    - Quelladresse ..... 67
    - Router ..... 467
    - Routing ..... 468
    - Security ..... 44, 121, 623
    - Subnetz ..... 651
    - Switching ..... 157
    - Telephony ..... 29
    - Zieladresse ..... 67
  - IP-in-IP-Encapsulation 64, 537, 539, 691, 723, 729, 740
  - IP-in-IP-Tunneling ..... 537
  - IP-Name
    - inverser ..... 187, 196
  - IP/ICMP Translation Algorithm 453
  - IP4-in-IPv4-Tunneling .... 690
  - ip6.arpa ..... 179, 191, 192
  - ip6.int ..... 191
  - IPsec ..... 239
    - Header ..... 268
    - Initiator ..... 269
    - Responder ..... 269
    - Security Association and Key Management Protocol .. 271
  - IPTV ..... 320
  - IPv4
    - Adresse
      - mapped ..... 449
    - compatible IPv6-Address 379, 430
    - embedded IPv6-Address . 461
    - embedded IPv6-Adressen 380
    - Link-Local Address ..... 242
    - mapped IPv6-Address ... 379
    - Netz ..... 421
    - Quelladresse ..... 431
    - translated IPv6-Address . 379
  - IPv4 over IPv6 ..... 356, 428
  - IPv6 ..... 351
    - Jumbogram ..... 362
    - Netz ..... 421
    - Sites ..... 421, 425
    - unspecified Address ..... 373
  - IPv6-in-IPv4-Tunnel ..... 430
  - IPv6-in-IPv6-Encapsulation 743
  - IPv6-in-IPv6-Tunneling ... 743
  - IPv6-Name
    - inverser ..... 191
  - IQUERY ..... 187
  - iResolver ..... 212
  - ISAKMP Agressive Mode . 272
  - ISATAP-Adresse .... 380, 442
  - ISO/OSI-Referenzmodell ... 22
  - Isosynchronität ..... 311
  - Issuer ..... 289
- J**
  - Jacobsen/Karel-Implementierung ..... 146
  - Jitter ..... 311, 312
  - Jitter-Ausgleichspuffer .... 554
  - Jumbo Payload Option .... 362
  - Jumbo-Paket ..... 355
- K**
  - KAME-Projekt ..... 388
  - kanonischer Hostname ... 190
  - Karn/Partridge-Implementierung 146
  - Keep-Alive-Verfahren .... 145
  - Keep-Alives ..... 130
  - Kernbereich ..... 649
  - Key Exchange .. 287, 295, 701, 705
  - key file .... 289, 291, 293, 296
  - Key Performance Indicators 705
  - Key Roll-Overs ..... 210
  - Key Signing Key .... 208, 209
  - Key Store ..... 290
  - keyed Hash ..... 436
  - keyed MAC ..... 705
  - Klasse ..... 188
  - Known-Plaintext-Attacken . 301
  - Kodierungsverfahren ..... 45
  - Kommunikationsprotokolle .. 3, 23
  - Konfigurationsphase ..... 606
  - Konfigurationsserver ..... 389
  - Konfusion ..... 51
  - Kontrollchunks ..... 168
  - Kontrollkanal ..... 304
  - Konvergenzzeit ..... 482
  - Kreditlemechanismus ..... 20
- L**
  - L2 Forwarding Table ..... 652
  - L2TPv3 ..... 638
  - L3 Forwarding Table ..... 654
  - Label ..... 178, 387
    - Distribution Protocol ..... 559, 560, 586, 593
    - Entry ..... 568
    - Mapping ..... 594, 595
    - Raum ..... 562
    - Request ..... 594
    - Stack ..... 568, 594
    - Switched Path . 557, 560, 564, 574, 575, 623
    - Switching
      - Tabelle ..... 561, 562
      - Switching Router ..... 593
      - Verteilung ..... 594
      - Zuweisung ..... 594
  - Label Request ..... 595
  - Label Switched Path ..... 628
  - Label-Raum ..... 562
  - LAC-LAC ..... 640
  - LAC-LNS ..... 640
  - Latenzzeit ..... 21
  - Lawinen-Effekts ..... 48
  - Layer ..... 648
  - Layer-1-VPN ..... 626
  - Layer-2 Tunneling Protocol 623
  - Layer-2-Tunnel ..... 626
  - Layer-2-VPN ..... 626
  - Layer-3-VPN ..... 626
  - LDAP Data Interchange Format 713
  - LDP-Peers ..... 593
  - LDP-Session ..... 593
  - Learning Bridge
    - transparente ..... 621
  - Lease
    - Ablauf ..... 249
    - Dauer ..... 241, 244, 385
    - Erneuerung ..... 248
  - Legitimierung ..... 407
  - Legitimität ..... 289
  - Leitungsdurchsatz ..... 149
  - Leitungsschwindigkeit .... 149
  - Length ..... 72
  - libresolv ..... 182, 193

- Lightweight Directory Access Protocol .....41, 695
  - Lightweight Extensible Authentication Protocol 699
  - Link ... 26, 372, 392, 560, 601
    - Affinity .....583
    - Color .....583
    - Connectivity Verification 578
    - Control Protocol ... 607, 608
    - ID ... 78, 241, 370–372, 394, 403, 437, 680, 681
    - Management Protocol ...558, 576
    - Prefix .....393, 398
    - Property Correlation ... 578
    - Protection .....556, 591
    - Quality Report .....609
    - Segment .....233, 235
    - Token ... 352, 371, 382, 386, 394, 417, 437
  - Link State .....478
    - Advertisement 479, 495, 501, 508, 510, 512, 514
    - Database .....495
    - Pakete .....511
    - Routing .....477
    - Routing Protocol .....494
  - Link-ID .....372, 383
  - Link-Layer
    - Adresse .....370
  - Link-Local .....739
    - Address ..233, 241, 242, 410, 444
  - Multicast
    - Name Resolution .. 233, 235
    - Unicast Address ... 352, 372, 373, 377, 378
  - Link-scoped
    - All-Node
      - Multicast .....408
  - Linkadresse ... 241, 392, 393
  - Linksegment .....81, 378
  - Lippensynchronisation ...312
  - LISP
    - Alternative Logical Topology 690
    - Domain .....687
    - Site .....687
  - Listen .....134
  - Listener .....117, 382
  - Listening .....414
  - Listenmodus .....136
  - LLC
    - Schicht .....24
  - LNS-LNS .....640
  - Load
    - Balancer .....154, 688
    - Dienstfunktion .....601
  - Diensttyp .....602
  - Frame .....602
  - Sharing .....529
  - Transport .....602
  - Local
    - Interface Gateway .....703
    - Interface Gateways .....705
    - Internet Registry .....377
    - Scope .....392, 536
    - Locality .....711
    - Location-Server .....323
    - Locator .....678, 679, 681
      - 32 .....684
      - Pointer .....684
    - Locator/ID Separation Protocol 678
    - Locator/Identifier Separation Protocol .....678
  - Logarithmus
    - diskreter .....55–57
  - Logical Link Control .. 24, 601
  - Long Fat Networks .....144
  - Loopback
    - Adresse .....79, 385
    - IPv6-Adresse .....373
    - Loopback-Schnittstelle ...240
    - Loops .....521
  - Loose explicit Route .....590
  - LSA .....495, 501
    - Header .....510, 513
    - ID .....513
  - Paket .....478
  - Typ .....513
- M**
- m.root-servers.net .....181
  - MAC
    - Adressen .102, 241, 601, 617
    - Broadcast .....102, 676
    - Frame .....468, 561, 602
    - Encapsulation .....601
    - Header .....602
    - Layer .....601
    - Protocol Data Unit .616, 618
    - Schicht .....24
    - Trailer .....602
    - Unicast .....102
  - MacOS X .....388
  - magic key .....216
  - Mail eXchange .....220
  - Mail Transfer Agent .....220
  - Makromobilität .....752
  - Man-in-the-Middle ... 54, 204, 296
  - Managed Address Configuration 399
  - Management
    - Frame .....617
  - Frames .....616
  - Plane .....558
  - MAP
    - Discovery .....752
    - Domain .....751
    - Option .....754, 755
  - Mapping .....241, 462
    - Attribute .....706
    - automatisch .....423
    - DN .....235
    - EID-to-RLOC .....689, 690
    - Ports .....278, 279
    - stateless .....423
    - Tabelle .....451, 452
    - Telephone Number URI .219
  - Master .....614
    - Router .....527
    - Down .....531
  - Master Session Key .....701
  - Master SubSocket .....335
  - Master-Down .....531
  - Master/Slave Bit .....510
  - MasterSecret .....296, 297
  - Maximum of Inbound Streams 167
  - Maximum Receive Unit ...606
  - Maximum Response Time .117
  - Maximum Segment Lifetime 137, 138, 142
  - Maximum Segment Size ..135, 150
  - Maximum Transfer Unit ... 69, 109, 114, 603
  - MBone .....115
  - MC-Routing-Protokoll ... 535
  - mDNS-Dienst .....382
  - Media Access Control ..24, 29, 370
  - Media Control Channel ... 304
  - Media Gateway Control Protocol .....41
  - Media-Kanal .....303, 304
  - Medienzugriffsverfahren ..601
  - Medium Access Control ...101
  - Mehrkomponentenauthentisierung 695
  - Membership
    - Leave Group .....117
    - Query .....117
    - Report .....117
    - V1-Report .....117, 118
    - V2-Leave .....118
    - V2-Report .....117, 118
    - V3-Report .....117
  - Message
    - Authentication Code .49, 206, 216, 294
    - Authenticator .....709



- Body ..... 328
- Compression ..... 200
- Data ..... 745
- Digest ..... 287, 294, 738
- Digest 5 ..... 48, 50, 490
- keyed ..... 205
- Sequence ..... 300
- Transfer Unit ..... 398
- Type ..... 594
- Meta-RR ..... 206
- Meta-Type ..... 191
- Metadaten ..... 314
- Metrik ..... 480, 493, 497
- Michael-MIC ..... 619
- Middlebox Control Protocol 264
- Middleboxen ... 265, 442, 464
- Mikromobilität ..... 752, 753
- MILNET ..... 5
- Mini-CA ..... 287
- MIP für IPv6 ..... 718
- MIPv4 ..... 722
- MIPv6 ..... 717, 718, 741
- Miredo ..... 448
- Mixer ..... 313
  - Funktion ..... 313
- Mobile
  - Home Authentication ... 738
  - IP ... 109, 353, 718, 721, 722
  - IPv4 ..... 121, 722
  - IPv6 ... 121, 358, 392, 717, 741
  - Mode ..... 741
  - Node ..... 752
  - Prefix Advertisement 392, 745
  - Prefix Solicitation .. 392, 745
- Mobility
  - Agents ..... 722
  - Anchor Point ..... 751
  - Binding Table ..... 729, 734
  - Header ..... 358
  - Options ..... 358
  - Modulus ..... 55
  - More Bit ..... 510
  - More Fragments ... 66, 457, 458
    - Bit ..... 70, 457
  - Movement Detection ..... 754
- MPLS
  - Header ..... 563
  - Multiplexer ..... 31
  - Switching Network ..... 559
  - TE ..... 579
  - Traffic Engineering . 555, 632
- MSL ..... 138, 142
- MSS ..... 155
  - Clamping ..... 155
- MTU ..... 133, 155, 603
  - Path-Discovery 155, 202, 301
- Multi-Protocol ..... 559
- Multi-Protocol Label Switching
  - 31, 89, 553, 559
- Multicast ..... 235
  - Address Resolution Server 396
  - Adresse ..... 366, 369
  - Backbone ..... 115
  - Datenverkehr ..... 621
  - DNS ..... 233, 234, 238
  - DNS based Service Discovery 235
  - Forwarding ..... 538, 539
  - IP-Adressen ..... 115, 233
  - Listener Discovery . 117, 382, 422, 535
  - Listener Done ..... 391
  - Listener Query ..... 391
  - Listener Report ..... 391
    - Version 2 ..... 391
  - MAC-Adresse ..... 116
  - OSPF ..... 535
  - Query ..... 234
  - Routing ..... 115, 120
  - Routing-Protokolle ..... 120
  - Source Discovery Protocol 535, 547
- Multicast Distribution Tree 538
- Multicast-Gruppen ..... 37
- Multicast-Routing-Protokoll 535
  - Multigroup HSRP ..... 533
- Multihomed ..... 80, 240
- Multihoming ..... 647, 680
- Multihoming-System ..... 366
- Multilayer-Switch ..... 652
- Multilinked ..... 240
- Multimedia-Session ..... 305
- Multipathing ..... 666, 668
- Multiplane-Architektur ... 557
- Multiplexer
  - funktion ..... 601
  - IP ..... 30
  - LAN ..... 35
  - logischer ..... 124, 129
- Multipoint-Sessions .. 306, 328
- Multisource File Transfer Protocol ..... 252
- N**
- Nachbar
  - Bekanntmaschung ..... 397
  - Nachbarschaft ..... 497, 548
  - Nachrichten ..... 23, 26
    - authentizität ..... 45
    - integrität ..... 45
    - verschlüsselung ..... 214
    - verschränkung ..... 45
  - Nachsendeadresse ... 722, 728
- NaCl Library ..... 216
- Nagle-Algorithmus .. 144, 145
- Name ..... 188
- Name Server
  - caching ..... 230
  - Content ..... 230
  - forwarding-only ..... 229
  - primary ..... 195
  - secondary ..... 195
- Namensauflösung
  - invers ..... 186
- Namespace ..... 233
- Naming Authority PoinTeR 222
- NAPT
  - Symmetric ..... 256
- NAS-Client ..... 719
- NAT
  - 64 ..... 380
    - Adressen ..... 380
    - 444 ..... 265
    - Basic ..... 253
    - bidirektionales ..... 253
    - Port Restricted Cone ... 256
    - PT ..... 425
    - Restricted Cone ..... 256
    - symmetric ..... 255
  - NAT-Router ..... 252
  - NAT44 ..... 430, 462
  - NAT64 ..... 425, 428
    - State Machine ..... 460
  - National Internet Registry . 377
  - National Science Foundation 5
  - Nebensprechen ..... 16
  - Negative acknowledgment . 611
  - Neighbor
    - Advertisement ..... 391
    - Cache ..... 395, 398
    - Solicitation ..... 391, 397
    - Unreachable Detection .. 398
  - Neighbor Discovery . 370, 382, 392
    - Protocol . 353, 385, 389, 393, 422, 742, 749
  - Neighbor Discovery Protocol 388
  - Neighbor Unreachability Detec-tion ..... 394
  - Neighbor-Cache ..... 393
  - Nested VLAN ..... 667
  - net-ldap ..... 710
  - NetBIOS Frame Control Proto-col ..... 605
  - Network ..... 611
    - Access Server . 276, 641, 703
    - Address Port Translation 252–254
    - Address Translation . 79, 239, 453
    - Attached Station ... 696, 705

- Basic Input Output System 39
- Bootstrap Program ..... 252
- Control Program ..... 5, 608
- Directory Service ..... 710
- File System ..... 126
- Layer ..... 24
- Reachability Information 519, 525
- LSA ..... 512
- Mask ..... 509
- ntrusion Prevention System 649
- Prefix ..... 90
- Service Provider ..... 276, 623–625, 641
- Time Protocol .. 41, 116, 280
- Network Attached Station .696, 705
- Network Multihoming .... 680
- Netz
  - ID ..... 75–78, 80, 81, 84, 85, 89, 90, 105, 106, 368, 369, 376, 461
- Netzwerk
  - ID ..... 75
  - Neutralität ..... 64
  - Präfix ..... 90, 393, 405
  - Präfixnotation ..... 89, 90
  - Schicht ..... 28, 36
- New Care-of-Address ..... 758
- Next Hop
  - Resolution Protocol ..... 88
- Next Hop Network Address 524
- Nibble-Format ..... 191
- Node
  - ID ..... 680, 683
  - Identifier ..... 678, 679, 681
- Node Protection ..... 556, 591
- Node-Node Interface ..... 576
- Nomadic Computing ..... 689
- Non-Broadcast Multiple Access 499
- Non-temporary Address ... 413
- Nonce . 52, 216, 300, 406, 408, 612
  - Header Option ..... 686, 687
  - Sum ..... 161, 164
  - Bit ..... 164
- None-linear Feedback Shift Register ..... 51
- None-Repudiation ..... 217
- Notification Type, ..... 237
- Null
  - Frames ..... 616
  - Register ..... 544
  - Bit ..... 547
  - Nachricht ..... 547
  - Verschlüsselung ..... 295
- Number of GABs ..... 172
- Nutzlast ..... 25
  - Typ ..... 307
- NXDOMAIN ..... 185
- O**
  - OAuth ..... 716
  - Object-Identifier ..... 288, 712
  - Objekten ..... 711
  - Obscured
    - External Address ..... 449
    - External Port ..... 449
  - Offene Resolver ..... 205
  - Offer ..... 328, 329
  - Offer-Answer-Modell ..... 329
  - OKay ..... 327
  - On-Link CoA ..... 752
  - On-Link Prefix ..... 405
  - on-the-fly ..... 215
  - One Time Pad ..... 52
  - one-armed Router ..... 657
  - Online Certificate Status Protocol ..... 298
  - Opcode ..... 199
  - Open
    - System Interconnection 3, 22
  - Open Shortest Path First ... 38, 353, 422, 477, 480, 494, 559
  - Traffic Engineering ..... 584
  - Open System Interconnection 666
  - OpenID ..... 716
  - Operation ..... 108
  - Optical
    - Electrical-Optical ..... 574
    - Optical-Optical ..... 574
  - OPTion ..... 201
  - Option Number ..... 72
  - Organisation ..... 711
  - Organizational Unit ..... 711
  - Organizationally Unique Identifier ..... 116, 528, 604
  - Origin Indicator ..... 450
  - OSI
    - Referenzmodell ..... 3
    - Schichtenmodell ..... 23
  - OSPF
    - Database Description .... 508
    - Header ..... 508
    - Hello Pakete ..... 508
    - Link State Informationen 508
    - Pakete ..... 494
    - Traffic Engineering ..... 559
  - OSPF-Traffic Engineering .559
  - OSPFng ..... 514
  - OSPFv2 ..... 494
  - OSPFv3 ..... 494, 514
- Other Stateful Configuration 399
- Out-of-Bailliwick ..... 184
- Out-of-Fiber-Steuerkanal .. 577
- Outband-Signalisierung ... 557
- Outbound Streams ..... 167
- Outer Label ..... 624
- Override Flag ..... 397
- P**
  - Packet
    - Error Rate ..... 46
    - Length ..... 457, 508
    - Too Big ..... 391
  - Packet Error Rate ..... 46
  - Padding ..... 47, 52, 294, 315
  - Padding Options ..... 360
  - Pairwise Transient Key ... 701
  - Paket ..... 25
  - Paketfehler ..... 45, 46
  - Paketierung ..... 25
  - Paketlänge ..... 46
  - Paketvermittlungsschicht ... 24
  - Parameter Discovery ..... 394
  - Parameter Problem ... 111, 391
  - Paritätsbit ..... 46
  - Pass-through ..... 698
  - Password
    - Authentication Protocol . 605, 608, 611
    - expired ..... 702
    - Passwort ..... 695
  - Path
    - MTU ..... 358
    - MTU Discovery .... 114, 391
    - Path Error ..... 588
    - Path Teardown ..... 588
  - Payload . 25, 64, 272, 303, 355, 601, 606, 616, 623
    - Data ..... 275
    - Header ..... 312
    - Length ... 273, 355, 362, 456
    - Protocol ..... 745
    - Type ..... 307
  - PEAP/EAP MS-ChapV2 .. 701
  - Peer-Verbindung ..... 515
  - Perfect Forward Secrecy 53, 56
  - Pfad-Attribute ..... 519
  - Phishing ..... 205
  - photonische Switches ..... 574
  - Physical Layer ..... 24, 600
    - Convergence Protocol ... 613
  - physikalische Adressen ... 470
  - PIM
    - Dense-Mode ..... 535
    - Domain ..... 547
    - Sparce-Mode ..... 535
  - ping ..... 109

- PKI Extension ..... 298
- Planes ..... 654
- Pluggable Authentication Module ..... 715
- PMTU Discovery ..... 114
- Point of Presence ..... 9
- Point-to-Point Protocol 29, 105, 469, 605, 626
- PoinTer ..... 187
- Pointer ..... 72, 73, 187
- Poisoning ..... 204
- Policies ..... 558
- Policing ..... 583
- Policy ..... 558
- Table ..... 387
- Port ..... 573
- Address Translation 253, 254
- basierte Access Control . 715
- Extender ..... 661
- mapped ..... 449
- Port Control Protocol ..... 235
- Port Restricted Cone NAT .257
- Portscans ..... 153
- POSIX-Attribute ..... 712
- PPP ..... 29
- Frame ..... 29
- Payload ..... 606
- Verbindung ..... 607
- PPP over Ethernet ..... 144
- PPP-Frames ..... 29
- PPVPNs ..... 625
- Präambel ..... 602
- Präferenz ..... 220
- Präfix ..... 437
- Präsentations-Schicht ..... 27
- Pre-Shared Keys ..... 701
- Preboot Execution Environment 251
- Precedence ..... 241, 387
- Preempter
- enabled ..... 583
- Preemption ..... 581, 582, 585
- Preference ..... 220, 683
- preferred ..... 387
- Prefix
- Bit ..... 381
- Cache ..... 395
- Delegation ..... 416
- Discovery ..... 393, 405
- Length ..... 241, 493
- Extension ..... 730
- List ..... 395, 405
- Notation ..... 707
- Prefixing ..... 706
- PreMasterSecret 290, 292, 296
- Presence Services ..... 320
- primary Name Server ..... 195
- Primzahl ..... 57
- Priority ..... 570
- Preemption ..... 582
- Privacy ..... 614
- Privacy Enhanced Mail ... 291
- Privacy Extensions .. 372, 385, 386
- Private Key .. 53–55, 205–209, 289, 293, 298, 406
- Probe
- Frames ..... 616
- Request ..... 615–617
- Response ..... 616
- Profile Specifications ..... 317
- Profiling ..... 238
- Proposals ..... 272
- Protect Against Wrapped Sequences ..... 133
- Protected Data ..... 619
- Protected EAP ..... 699
- Protection Against Wrapped Sequence Number ..... 148
- Protocol ..... 233
- Address Length ..... 104
- Data Unit ... 25, 64, 288, 594
- Field Compression ..... 609
- Identifier ..... 25, 603, 604
- Independent Multicast .. 535, 542
- Translation 423, 428, 459, 460
- Type ..... 104, 537
- Protocol 41 Encapsulation .427
- Protocol 47 Encapsulation .427
- Protokoll
- familie ..... 74
- instanz ..... 87
- nummer ..... 65, 67
- stack ..... 79
- Provider Edge .. 525, 623, 624
- Provider Provisioned VPN 625, 626
- Provisionierung ..... 430
- Provisioning-Domain ..... 264
- Proxy ..... 740
- ARP 101, 103, 105, 106, 469, 739
- Nameserver ..... 230
- Views ..... 230
- Pruning ..... 539, 545
- Pseudo Random Funktion .296
- Pseudo Wire ... 596, 624, 628
- Emulation Edge-to-Edge .596
- Header ..... 624
- Pseudo Wire Emulation Edge-to-Edge ..... 596, 627
- Pseudo-Draht ..... 624, 628
- Pseudo-RR ..... 201, 202
- PSH-Bit ..... 152
- Public Cloud ..... 677
- Public Key ... 53–55, 205–208, 214–218, 288–290, 293, 296, 406
- Infrastructure .... 43, 54, 280, 281, 286, 289, 347
- Public WLAN ..... 718
- Punkt-zu-Punkt-Verbindungen 599
- Punycode ..... 193
- PWLAN ..... 718
- Roaming ..... 718
- Q**
- Q Tagging ..... 663
- Q-in-Q ..... 633
- Q-in-Q-Encapsulation .... 633
- QNAME ..... 200
- QoS ..... 354
- QoS-Parameter ..... 302
- Quad-A RR ..... 191
- Qualifikationsprozedur ... 449, 451
- Quality of Service 38, 302, 354, 556, 586, 613
- Quell-DR ..... 542
- Quellen-Routing ..... 478
- Querparität ..... 46
- Query ..... 185, 188, 710
- inverse ..... 187
- Type ..... 191
- Question
- Section ... 199, 200, 234, 243
- Queue Management ..... 157
- Queues ..... 653
- Quittung ..... 131
- Quittungsnummer .... 132, 137
- R**
- Réseaux IP Européens 180, 377
- RACE Integrity Primitives Evaluation ..... 50
- RADIUS
- Attribute ..... 706
- Client ..... 705
- Server ..... 705
- Rainbow Tables ..... 48
- Random ..... 293
- Random Early Detection/Discarding ..... 158
- Rapid STP ..... 666
- RAPR
- Reply ..... 108
- Request ..... 108
- Server ..... 108
- RBridge ..... 666
- Rcode ..... 199
- RDATA ..... 188–191

- Re-Routing ..... 556, 581, 585
- Real Time Streaming Protocol  
39
- Real-time
  - Transport Control Protocol 39
  - Transport Protocol ... 39, 42,  
115, 126, 174, 281, 301, 304,  
318
- Real-Time Clock ..... 74
- Realm ..... 252, 706
- Realm Specific IP ..... 253
- Realtime Blacklists ..... 220
- Receiver
  - Report ..... 315
- Record ..... 26, 47, 288
- Record Layer ..... 288
  - Protocol ..... 288, 294
- Record-Layer
  - Frame ..... 288
- Recording Route ..... 73, 74
- Recovery Algorithmus .... 149
- Recursion Desired ... 187, 213
- Recursive Resolver ..... 230
- Redirect ..... 111, 112, 391
  - Function ..... 394
- Redirect-Funktion ..... 401
- Reed-Solomon
  - Code ..... 46
  - Verfahren ..... 46
- Referrals ..... 184, 185, 200
- Regional
  - Care-of-Adress .... 751, 752
- Regional Internet Registry .377
- Register
  - Phase ..... 542
  - Stop ..... 542–544, 547
- Registered Ports ..... 125
- Registration Lifetime . 730, 734
- Registree ..... 180
- Regular Expressions ..... 223
- Relative Distinguished Name  
711
- Relay Blacklists ..... 220
- Remote
  - Access Service ..... 703
  - Access Services ..... 638
  - Access-VPN ..... 626
  - Authentication Dial-In User  
Service ..... 41, 703, 719
  - Interface Gateway .. 703, 705
  - Procedure Call ..... 126
- Rendezvous ..... 233
  - Bit ..... 381
  - Point 381, 538, 542, 547, 676
  - Point Tree ..... 542
- Replies ..... 608
- Replikat ..... 195
- Report Blocks ..... 317
- Request ..... 608
  - Authenticator ..... 709
- Request for Comments ..... 60
- Request/Reply ..... 734
- Request/Response-Prinzip .320
- Requesting Router ..... 416
- Reservation
  - Confirmation ..... 588
  - Error ..... 588
  - Request ..... 588
- Reset ..... 132
- Resilience ..... 583
- Resolver ..... 176, 463
- Resource Data ..... 188
- Resource Record 179, 184, 188,  
235, 683
  - Set ..... 197, 207, 232
  - Signatur ..... 208
- Resource Reservation Protocol  
38, 559, 586
- Responder ..... 612, 686
- Response
  - Authenticator ..... 709
  - Nachricht ..... 709
  - Paket ..... 702
- Restricted Cone NAT ..... 257
- Resumable ..... 293
- Retransmission
  - Algorithmus ..... 145
  - Timer ..... 301, 400
- Retrieval in der DIB ..... 713
- Return Routability Procedure  
743, 758
- Reverse
  - Address Resolution ..... 101
  - Address Resolution Protocol  
37, 108
  - Path Forwarding ..... 539
- Rhwo Daemon ..... 116
- Ringing ..... 324
- RIP-1 Entry ..... 487
- RIPE Message Digest ..... 50
- RIPng ..... 492
- RIPv6 ..... 492
- Rivest/Shamir/Adleman .... 53
- RL-Header ..... 294
- Roaming ..... 320, 614
  - Agreement ..... 720, 724
- Robust Explicit Congestion No-  
tification ..... 164
- RObust Header Compression  
308
- Robust Security Network Asso-  
ciation ..... 622
- Root ..... 178, 506
- Round Trip Time 133, 135, 143,  
145, 146, 149
- Route
  - Designator ..... 104, 493
  - Distinguisher ..... 526
  - Optimazation ..... 743
  - Spezifikation ..... 363
  - Tag ..... 491
- Routen ..... 467, 468
- Routenabschnitte ..... 538
- Router ..... 467
  - Advertisement 111, 113, 114,  
391, 405, 413, 450, 732, 749,  
752–754
  - Advertisement Daemon . 405
  - Advertisement Protocol . 385,  
393, 526
  - Cache ..... 395
  - Designated 498, 509, 538, 542
  - designierter ..... 500, 542
  - Discovery ..... 393
  - Flag ..... 397
  - ID ..... 503, 508
  - LSA ..... 506, 512
  - Priority ..... 509
  - Renumbering ..... 391
  - Solicitation ... 111, 113, 114,  
391, 400, 401, 730
- Router-ID ..... 503
- Routing ..... 467, 468
  - Area ..... 60
  - Bereich ..... 679
  - Bridge ..... 666
  - Domain ..... 479
  - Header ... 355–357, 363, 365
  - Information ... 471, 474, 476
  - Information Base ..... 516
  - Information Protocol . 38, 42,  
353, 423, 477, 480
  - Locator ..... 687, 688
  - Metrik ..... 476
  - Protokoll ..... 467, 474
  - Segmente ..... 363
  - Tabelle ..... 473
  - Table Entry ..... 493
  - Type 2 ..... 363
- RP-Baum ..... 542
- RPT ..... 542
- RR
  - Set ..... 197, 208, 209
  - Type ..... 188
- RSA-Signatur ..... 406
- RST ..... 134
- RSVP
  - Checksum ..... 588
  - Hop ..... 587
  - Nachricht ..... 588
  - TE-Objekte ..... 588
  - with Traffic Engineering .559,  
586
- RTC

- Control Protocol ..... 281
- RTCP
  - extended Reports ..... 317
  - Kanal ..... 304
  - Pakete ..... 304
- RTP
  - Control Protocol ..... 42, 301
  - Header ..... 306
  - Kanal ..... 303
  - over TCP ..... 303
  - Pakete ..... 303
  - Quellport ..... 306
  - Session ..... 304
  - Zielpport ..... 306
- S**
- S-Boxen ..... 51
- S-Channels ..... 663
- S-Components ..... 663
- SACK ..... 148, 171, 172
- Salt ..... 48, 287, 386
- Scheduler ..... 586
- Schema ..... 711
- Schicht 2a ..... 24
- Schicht 2b ..... 24
- Schlüssel ..... 50, 616
  - abgleich ..... 54, 56, 57
  - beglaubigung ..... 54
  - berechnung ..... 54
  - bereitstellung ..... 57
  - erzeugung ..... 53, 55, 56
  - länge ..... 50
  - material ..... 58, 296
  - tausch ..... 55
    - anonym ..... 54
    - wort ..... 45
- Scope ..... 352, 369, 381, 714
- Scope-Id ..... 372
- Scoping ..... 536
  - administrativ ..... 536
  - Organisation Local ..... 536
  - TTL ..... 536
- SCTP-Assoziation 38, 125, 165
- SCTP-Streams ..... 165, 166
- SCTP-Verbindung ..... 125
- SDP
  - Offer ..... 310
- Seamless Handover ..... 758
- Search ..... 188
- Second-Level Domains ..... 179
- Secure
  - Hash Algorithm ..... 48, 50
  - Neighbor Discovery 392, 406
  - RTP ..... 39, 42
  - Socket Layer .39, 43, 44, 281, 347
- Secure Shell ..... 282
- Secure Socket Layer .281, 285, 347
- Security
  - Association ... 264, 270, 271
  - Gateway ..... 276
  - Parameters Index ... 270, 274
  - Policy Database ..... 271
  - Security Access Markup Language ..... 716
  - Security Architecture for the Internet-Protocol ..266, 270
  - Security Area ..... 60
  - Security Association .44, 643, 742
  - Security Gateway .... 276, 641
  - Seed ..... 216, 386
    - initial ..... 296
  - Segmente ..... 25
  - selektives Flooding ..... 478
  - Sendeblockade ..... 139
  - Sendefenster ..... 140
  - Sender
    - Information ..... 316
    - Report ..... 315
  - Sender Policy Framework .221
  - Senderecht ..... 613
  - Sensor/Aktor-Netzwerken .600
  - Sequence
    - Number ..... 131, 138, 148
    - Initial ..... 131, 136
  - Sequenznummer 131, 136, 299, 307
  - Serial Line IP ..... 605
  - Serial Number ..... 198, 290
  - Server Access Layer .649, 661
  - Server Layer ..... 661
  - SeRVer location ..... 323
  - Server-LAN ..... 649
  - SERVFAIL ..... 185
  - Service Access Point .65, 601
  - Service Data Unit ..... 25, 64
  - Service Level Agreements 705
  - Servicenamen ..... 235
  - Session ..... 26, 304
    - Description Protocol 281, 302, 303, 305, 319, 327
    - Forwarding ..... 325, 326
    - ID ..... 293, 701
    - Initiation Protocol ... 42, 281
    - Layer ..... 24
    - Resumption ..... 293, 701
    - State Table ..... 462
    - Table Entry ..... 462
    - Traversal Utilities ..... 259
  - Session Description Protocol 327
  - Session Initiation Protocol 126
  - Session Traversal Utilities .259
  - Session-ID ..... 637
  - Setup-Priorität ..... 556, 581
  - SHA-1 Hash ..... 406
  - Shared Medium ..... 392
    - LAN ..... 86, 102, 601
  - Shared Medium LAN 105, 599
  - Shared Secret 49, 206, 270, 435, 705, 709, 710
  - Shared Secrets ..... 270
  - Shared Tree ..... 538
  - Shibboleth ..... 716
  - Shortest Path
    - Bridging .647, 666, 668, 669
    - First ..... 495, 506
    - Tree ..... 538, 669
    - Tree Algorithmus ..... 670
    - VID ..... 671
  - Shutdown ..... 237
  - Sicherungsschicht ..... 46
  - Signalisierung ..... 557, 599
  - Signalisierungsangaben .... 42
  - Signalisierungsprotokoll ... 42, 305
  - Signalisierungssystems Nr. 7 165
  - Signatur ..... 267, 289, 290
  - SIGnature ..... 205
  - Signieren ..... 53
  - Silent-RIP-Rechner ..... 489
  - Silly Window Syndrome .. 145
  - Simple Authentication and Security Layer ..... 714
  - Simple Bind ..... 714
  - Simple Mail Transport Protocol 40, 219
  - Simple Network Management Protocol ..... 40, 558
  - Simple Service Discovery Protocol ..... 236
  - Simple Traversal of UDP through NAT ..... 264
  - Single Points of Failure ... 526
  - Singlemedia-Session ..... 305
  - SIP
    - Adresse ..... 320
    - INVITE .. 310, 321, 324–327, 329, 330
    - Nachricht ..... 302, 320
    - over DCCP ..... 319
    - over DTLS ..... 319
    - over TLS ..... 319
    - over UDP ..... 319
    - Proxy ..... 320–322
    - Registrar ..... 325
    - Request ..... 320, 326
    - Response ..... 320, 327
    - Security ..... 319, 321
    - Trapezoid ..... 323

- UPDATE ..... 330
- URI ..... 320
- SIPS over UDP ..... 319
- Site ..... 378, 622, 679, 680
  - Border Router ..... 680
  - Mobility ..... 679
  - Multihoming ..... 679
  - Site Border Router ..... 680
  - Site Mobility ..... 679
  - Site-Local
    - Unicast Address ..... 373, 377
  - Site-to-Site-VPN ..... 625
  - Sites ..... 680
  - Sitzung ..... 26, 593
  - Sitzungsschlüssel ..... 621
  - Slave SubSocket ..... 335
  - Sliding Window ..... 138
  - Sliding-Window-Prinzip ..... 130, 138, 140
  - Slow Start ..... 148
  - Slow start and congestion avoidance algorithm ..... 159, 163
  - Slow Start Threshold ..... 147
  - Smooth Handover ..... 758
  - SNA Control Protocol ..... 605
  - Socket ..... 124
    - Cloning ..... 155
    - Exhaustion ..... 265
  - SOCKS ..... 39, 281, 282
  - Solicited-Node
    - Multicast Address .. 382, 396, 404
  - SOLICIT ..... 413
  - Solicit-Node Multicast-Adresse ..... 382
  - Solicited Flag ..... 397
  - Solicited-Node Multicast-Adresse ..... 382
  - Source ..... 25
  - Source Description ..... 315
  - Source EID ..... 690
  - Source Filtering ..... 119
  - Source Quench ... 71, 111, 156
  - Source RLOC ..... 690
  - Source Routing ... 72, 73, 104, 362, 478
    - loose ..... 72, 73, 364
    - strict ..... 72, 73
  - Source Tree ..... 538
  - Source-SAP ..... 603
  - Source-specific
    - Multicasting ..... 115
    - Multicasting Address .... 381
  - Spanning Tree Protocol ... 666
  - Sparse Mode ..... 542
  - SPB MAC ..... 671
  - SPF-Baum ..... 495
  - Split Horizon ..... 230, 478
  - Split-Horizon
    - Methode ..... 483, 485
    - mit Poison-Reverse . 483, 486
  - Spoofing ..... 238, 406, 408
  - SPT ..... 538
  - SSLeay ..... 6, 43, 287
  - Stammdaten ..... 695
  - Stammzertifikate .... 289, 290
  - Standard
    - Route ..... 475
    - Subnetzmaske ..... 86
  - Standards Track ..... 299
  - Standardzertifikate ..... 290
  - Standby Group ..... 528, 532
  - Standby Router ..... 532
  - Standortadresspräfix ..... 376
  - Start-of-Authority ..... 195
  - Starting Delimiter ..... 602
  - STARTTLS ..... 298
  - State ..... 620
  - State Engine ..... 386, 398
  - State Table ..... 265
  - Stateful
    - Addressmapping ..... 459
    - Autoconfiguration .. 389, 399, 409
    - Inspection ..... 153
    - Mapping ..... 423
    - Translation ..... 460
  - Stateful Autoconfiguration 399
  - Stateless
    - Address Autoconfiguration 385, 389, 391, 393, 403, 405
    - Adressen ..... 385
    - Autoconfiguration .. 389, 399, 409
    - DHCPv6 ..... 409, 417
    - IP/ICMP Translation ... 380
    - IP/ICMP Translation Algori-  
thm ..... 428, 453
    - Mapping ..... 423
    - Translation ..... 460
  - statisches Routing ..... 477
  - Status Code ..... 616
  - Stealth
    - Mode ..... 200, 420
    - Server ..... 230
  - STLS ..... 298
  - Storage Area Network .... 649
  - Stream
    - Control Transmission Protocol 123, 124, 301
    - CSequence Nr ..... 170
    - Format ..... 217
    - Identifier ..... 167, 170
    - Nachricht ..... 217, 218
    - Sequence Nr ..... 170
  - Stream Control Transmission Protocol ..... 38
  - Strict explicit Route ..... 590
  - Strict Source Route ..... 364
  - Strictly-Ordered service class 618
  - Strom-Chiffren ..... 51, 299
  - Stub Area ..... 505
  - Stub-Bereich ..... 504
  - Stub-Resolver ..... 182
  - Stun
    - classic ..... 259
  - Sub-AFI ..... 523
  - Sub-Network Access Protocol 604
  - Subdomains ..... 178
  - Subject ..... 288, 289
  - Subject Alternative Name . 297
  - Subject-DN ..... 290
  - Subnet
    - ID ..... 378
    - Prefix ..... 406
    - Route ..... 474
    - Router ..... 384
  - Subnetting ..... 90
  - Subnetwork Point of Attachment 471, 524
  - Subnetz ..... 81
    - ID ..... 81, 90, 376, 378, 437
  - Subnetz-Maske ..... 241
  - Subsequent AFI ..... 523, 524
  - Substitutions-Boxen ..... 52
  - Subtype ..... 617
  - Suffix
    - Notation ..... 707
  - Summary-LSA ..... 512, 513
  - Supervisory ..... 603
  - Supplementary Services .. 320
  - Suppliant ..... 695, 696, 698
  - Supported Channels ..... 616
  - Supported Rates ..... 616
  - Switched Medium ..... 601
  - SYN ..... 134, 136, 137
    - Cockie ..... 154
    - Flooding ..... 154
  - Synchronisation ..... 24
  - Synchronization Source .. 313, 315, 316
    - Identifier ..... 308
  - Synchronous Digital Hierarchy 554, 555, 575
  - System
    - autonomes 467, 479–481, 494, 501, 505, 507, 514, 515, 517, 536, 542, 548–550, 590, 687

- T**
- T/TCP ..... 134
  - TB-Modell ..... 586
  - TCP ..... 34
    - Abort ..... 152
    - Backlog ..... 153
    - Close ..... 152
    - Control Block ..... 153
    - Fast Open ..... 151
    - Haltezeit ..... 144
    - Handoff ..... 155
    - Header ..... 131
    - Instanz ..... 34
    - Keep-Alive ..... 145
    - KEEPALIVE ..... 153
    - LINGER ..... 152
    - Multipath ..... 281
    - Multiplexer ..... 34
    - NODELAY ..... 152
    - Nutzlast ..... 130
    - Open ..... 152
    - Pakete ..... 130
    - PDU ..... 130
    - Peer ..... 160
    - Puffer ..... 144
    - Receive ..... 152
    - RST ..... 152
    - Send ..... 152
    - Slow Start ..... 147
    - Spoofing ..... 153
    - State ..... 152
    - Timeouts ..... 134
    - Verbindung ..... 35, 125, 130
    - Window ..... 134
    - Wrapper ..... 153
  - TCP-Stack ..... 144
  - Teardown ..... 589
  - Telephony Routing over IP ..... 42
  - Temporal Key Integrity Protocol  
619
  - Temporary Address ..... 413
  - Teredo ..... 380, 425
    - Adresse ..... 380, 448
    - Client ..... 447, 448
    - Flags ..... 449
    - navalis ..... 447
    - Relay ..... 447, 448
    - Server ..... 380, 447, 448
  - Teredo-Präfix ..... 449
  - Teredo-Server-Adresse ..... 449
  - Terminate ..... 611
  - Three-Way Handshake 134, 150
  - Throughput ..... 21
  - Tickmark ..... 133, 146
  - Time Division Multiplexing 624
  - Time Division Multiplexing  
over IP ..... 630
  - Time Exceeded ..... 111, 391
  - time slots ..... 575
  - Time-out-Mechanismus ..... 138
  - Time-Stamp ..... 406
  - Time-to-Live ..... 32, 66, 111, 116,  
131, 188, 189, 355, 412, 570
  - Time-Wait ..... 138
  - Timeout ..... 104, 134, 142, 145,  
146, 151, 254, 706
  - Timeout-Mechanismus ..... 299
  - Timestamp ..... 72, 73, 109, 148,  
216, 311, 408, 616
    - Echo Reply ..... 133
    - Option ..... 133
    - Reply ..... 111–113
    - Request ..... 111–113
    - Value ..... 133
  - TimeToLive ..... 155
  - TLS-Schlüssel ..... 296
  - TLV-Angaben ..... 357
  - Token-Bucket-Modell ..... 586
  - Token-Rate ..... 587
  - Token-Ring ..... 601
  - Top Level Aggregator ..... 375
  - Top Level Domains
    - generic ..... 179
  - traceroute ..... 109
  - Traffic
    - Class ..... 354, 456
    - Engineering ..... 554, 555, 559,  
571, 579
    - Flow ..... 579, 580
    - Parameter ..... 582
    - Selector ..... 269, 272
    - Shaping ..... 149
    - Trunk ..... 579
  - Trailer ..... 25, 45
  - Transaction Security ..... 206
  - Transaction SIGnature ..... 205
  - Transaction TCP ..... 38
  - Transaktions-Identifer ..... 702
  - Transient-Bit ..... 381
  - Transitnetz ..... 425, 429
  - Translation ..... 425, 428
    - Bridging ..... 620
  - Translator ..... 460
    - Funktion ..... 312
  - Transmission Control Protocol 3,  
8, 26, 38, 123, 124, 301
  - Transmission Sequence Number  
169
  - TRansparent Interconnection of  
Lots of Links ..... 665
  - Transparent Interconnection of  
Lots of Links ..... 647
  - Transport
    - Area ..... 60
    - Mode ..... 267, 276, 641
    - Plane ..... 557
  - Service ..... 698
    - Verschlüsselung ..... 44
  - Transport Layer ..... 24
    - Security ..... 27, 39, 44, 47, 281,  
285, 319, 321
    - Support Protokolle ..... 39
  - Transportdienst ..... 25
  - Transportprotokollinstanz ..... 124
  - Transportschicht ..... 3, 28, 36
  - Traversal Using Relays around  
NAT ..... 264
  - Trivial File Transfer Protocol  
126, 252
  - Truncation ..... 198
  - Trunction ..... 201
  - Trust
    - Anchor ..... 212, 213, 406, 408
    - Center ..... 286, 291
    - Chain ..... 212, 213, 408, 695
    - Store ..... 290, 297
  - Trustee ..... 180
  - TSecr ..... 146
  - TSopt ..... 146, 147
  - TSTVal ..... 146
  - TTL ..... 188
  - Tunnel
    - Broker ..... 425, 433
    - ID ..... 435
    - Information and Control Proto-  
col ..... 435,  
436
    - Mode ..... 267, 276, 641
    - Point-of-Presence ..... 434
    - Switching-Funktion ..... 645
  - Tunnel-Broker ..... 433
  - Tunnel-ID ..... 637
  - Tunneling ..... 568, 740
    - automatisches ..... 430, 433, 438
  - Tunneling über IP-Netze ..... 622
  - Tunneling-Protokoll ..... 623
  - Type ..... 110, 188, 189, 367
  - Type of Service ..... 66, 67, 160,  
506
  - Type-Length-Value ..... 357, 708
- U**
- UDP
    - Encapsulation ..... 427
    - Keepalive ..... 279
    - Lite ..... 123
    - Pakete ..... 126
  - UI
    - Frame ..... 603
  - Umcodierung ..... 313
  - Unicast ..... 79, 237, 399
    - Adresse ..... 366
    - IP-Adresse ..... 75
    - Query ..... 234

- Unified Messaging ..... 319
- Uniform Resource Identifier 222, 320
- Uniform Resource Locator 6, 7, 323
- Unique Local
  - Unicast Address ... 352, 373, 377, 378, 393
- Unique Service Name ..... 237
- Universal Mobile Telecommunications System ..... 174
- Universal Plug-and-Play .. 233, 236, 237
- Unnumbered Information . 603, 604
- Unspecified Addresses .... 408
- UPnP
  - Device ..... 237
- Upstream ..... 158
  - Knoten ..... 591
  - Label ..... 592
  - Router ..... 589
  - System ..... 595
- URG-Bit ..... 152
- Urgent Pointer ..... 132
- Urgent-Daten ..... 133
- Usage ..... 290
- Usage-Attribute ..... 296
- User
  - Agent ..... 323, 324
  - Agent Server ..... 324
  - ID ..... 711
  - Network Interface ..... 576
- User Datagram Protocol 26, 38, 123, 124
  
- V**
- Variable Length Subnet Mask 89, 93, 490
- Vendor
  - Option ..... 244
  - specific Attribute ..... 709
- Verbindung ..... 26
- Verfügbarkeit ..... 43
- Verification Tag ..... 168
- Verifikation ..... 289, 297
- Verkehrsstrom-ID ..... 562
- Verschlüsselung .... 43, 44, 53
  - Algorithmus ..... 50
  - asymmetrisch ..... 53
  - symmetrisch ..... 51
- Verteilbaum ..... 538
- Vertrauenssystem ..... 54
- Vertraulichkeit ..... 358
- Verzeichnisbaum ..... 712
- Verzeichnisdienst ..... 710
- Views ..... 230
- Virtual
  - Bridge Layer ..... 663
  - Circuit Identifier ..... 563
  - Classroom ..... 306
  - Distribute Switch ..... 675
  - extensible LAN .... 647, 665
  - extensible Local Area Network 674
  - IP-Adresse ..... 527
  - LAN ..... 650, 651
  - Link ..... 656
  - MAC Address ..... 527, 528
  - Machine ..... 661, 674, 717
  - Machine Mobility .. 647, 674
  - Network Mobility ..... 647
  - Networking ..... 647, 652
  - Overlay Network ..... 675
  - Path Identifier ..... 563
  - Private Network 570, 596, 622
  - Private Wire Service 627, 628
  - Router ..... 526
  - Router Identifier ..... 530
  - Router Redundancy Protocol 526, 529
  - virtuelle Router ..... 527
  - virtuelle Standleitung ..... 638
- VLAN
  - Identification ..... 658
  - Identifier ..... 651, 652, 663
  - Stacking ..... 632, 674
  - Tagging .. 652, 656, 658, 663
  - Trunking ..... 652, 658
  - Tunneling ..... 674
- VLAN-in-VLAN ..... 674
- VLSM-Networking ..... 89
- VoIP-Gateways ..... 41
- VPI/VCI ..... 569
- VR ..... 527
- VR-Protokoll ..... 526
- VRID ..... 528
- VRP ..... 526
- vUplinks ..... 677
- VXLAN
  - Instanzen ..... 675
  - Network Identifier ..... 675
  - Tunnel End Points ..... 676
  
- W**
- Wavelength Division Multiplexing ..... 469, 554
- WDM ..... 576
- WDM-Link ..... 576
- Well-known
  - discretionary ..... 520
  - List ..... 234
  - mandatory ..... 520
  - Port .. 34, 125, 128, 136, 246, 254, 303, 409, 448
- Prefix ..... 460
- WEP128 ..... 619
- WEP40 ..... 619
- Whois-Lookup-Mechanismus 231
- WiFi ..... 613
  - Alliance ..... 613
  - Protected Access ..... 613
- Window ..... 134, 138–140
- Window Scale ..... 150
- Windowsize 135, 145, 149, 150
  - advertised ..... 135
- WinSock2 ..... 287
- Wire Equivalent Privacy .. 613
- Wire Fidelity ..... 613
- Wireless
  - Distribution System 615, 618, 620
  - Equivalent Privacy ..... 618
  - ISPs ..... 719
  - LANs ..... 718
  - Protected Access ..... 619
- Wirespeed ..... 149
- WISPs ..... 719
- WLAN
  - Roaming ..... 620, 718
  - Supplicant ..... 696
- Working Groups ..... 61
- WPA2 ..... 619
- WSopt ..... 135
  
- X**
- X.509-Zertifikat ..... 54
- Xerox Network Services .. 480
  
- Y**
- Yellow Pages ..... 713
  
- Z**
- Zeitmarkenanfrage ..... 112
- Zeitstempel ..... 307
  - dienst ..... 280
- Zelle ..... 615
- Zero Window Probe ..... 145
- Zeroconf ... 233, 237, 242, 279
- Zertifikat
  - Liste ..... 700
- Zertifikatsprüfung ..... 700
- Zone ..... 194
  - file ..... 195
  - Signing Key ..... 208, 210
  - Transfer ..... 195, 234
  - Authoritive ..... 195
  - Incremental ..... 195
  - Walking ..... 209, 215
- Zonendatei ..... 195
- Zustandsinformationen ..... 26